2013 Consumer Confidence Report

Water System Name: Langley/Valle Pacifico #2701670 Report Date: February, 2014

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2013 and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua potable.

Tradúzcalo ó hable con alguien que lo entienda bien.

Type of water source(s) in use: Groundwater well

Name & location of source(s): Well 2 is located in Northern Monterey County

*Bottled water order in place due to high levels of Arsenic, bottled water order removed June 13, 2013.

Drinking Water Source Assessment information: The source is considered vulnerable to septic systems, high density. The well has secondary treatment for iron and manganese.

Time and place of regularly scheduled board meetings for public participation: 6:30 pm third Wednesday of each month at: 136 San Juan Road, Royal Oaks (Pajaro), CA 95076

For more information, contact: Don Rosa info@pajarosunnymesa.com Phone: (831) 722-1389 / 663-2181

TERMS USED IN THIS REPORT

level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum Contaminant Level (MCL): The highest Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

> Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

> Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

> Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

> Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Revised Jan 2014 2013 SWS CCR Form

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial
 processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural
 application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the state Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 –	SAMPLING	RESULTS	SHOWING T	HE DETECT	TION OF (COLIFORM BACTERIA
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation	MCL		MCLG	Typical Source of Bacteria
Total Coliform Bacteria	(In a mo.) 0	0	More than 1 sample in a month with a detection		0	Naturally present in the environment
Fecal Coliform or <i>E. coli</i>	(In the year) 0	0	A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform or <i>E. coli</i>		0	Human and animal fecal waste
TABLE 2	SAMPLIN	G RESUL	rs showing	THE DETE	CTION OF	LEAD AND COPPER
Lead and Copper (complete if lead or copper detected in the last sample set)	No. of samples collected	90 th percentile level detected	No. sites exceeding AL	\mathbf{AL}	PHG	Typical Source of Contaminant
Lead (ppb) 8/22/12	5	2.8	-	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natura deposits
Copper (ppm) 8/22/12	5	.016		1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
	TABLE 3 -	- SAMPLI	NG RESULTS	FOR SODIU	JM AND H	ARDNESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	4/17/13	182		none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	4/17/13	134		none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

^{*}Any violation of an MCL or AL is asterisked. Additional information regarding the violation is provided later in this report.

2013 SWS CCR Form Revised Jan 2014

TABLE 4 – DET	ECHON	OF CORT.	AMINANIS	WILLIA	RIMARY	PRINKING WATER STANDARD	
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant	
Total Trihalomethanes (ppb)	8/28/13	7.8		80	NA	Byproduct of drinking water disinfection	
Haloacetic Acids (ppb)	8/28/13	<1.0		60	NA	Byproduct of drinking water disinfection	
Gross Alpha (ppb)	3/10/10	.626	±1.82	15	(0)	Erosion of natural deposits	
Arsenic (ppb)-Raw Arsenic (ppb)-Post treatment	4/17/13 4/8/13	135* 48*	49-135 ND-48	10 10	.004 .004	Erosion of natural deposits; runoff from orchards; glass and electronic production wastes	
Perchlorate (ppb)	9/12/12	< 4		6	6	Inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries	
Nitrate	4/17/13	ND		45	45	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits	
Fluoride	4/17/13	.01		2	I	Erosion of natural deposits; discharge from fertilizer and aluminum factories	
TABLE 5 – DETE	CTION O	F CONTA	MINANTS V	VITH A <u>SE</u>	CONDARY	DRINKING WATER STANDARD	
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant	
Turbidity (unit)	4/17/13	.40		5		Soil Runoff	
Total dissolved solids	4/17/13	568		1000		Runoff/leaching from natural deposits	
Specific conductance (μS/cm)	4/17/13	1060		1600		Substances that form ions when in water; seawater influence	
Chloride	4/17/13	200		500		Runoff/leaching from natural deposits; seawater influence	
Sulfate	4/17/13	ND		500		Runoff/leaching from natural deposits; industrial wastes	
TABLE 6 – DETECTION OF UNREGULATED CONTAMINANTS							
		Level	Range of	en ar en	and an half of the half of the section of the Philippe of the		
Chemical or Constituent (and reporting units)	Sample Date	Detected	Detections	Notifica	tion Level	Health Effects Language	

^{*}Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Pajaro/Sunny Mesa Community Services District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

2013 SWS CCR Form Revised Jan 2014

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

and the second s	VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT						
Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language			
MCL Violation	Arsenic levels exceeded MCL	5 months	Arsenic/Iron and Manganese treatment facility	Some people who drink water containing arsenic in excess of the MCL over many years may experience skin damage or circulatory system problems, and may have and increase risk of getting cancer			

For Water Systems Providing Ground Water as a Source of Drinking Water

TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLES							
Microbiological Contaminants (complete if fecal-indicator detected) Total No. of Sample MCL (MCLG) Detections Dates MCL (MCLG) [MRDL] [MRDLG] Typical Source of Contamination							
E. coli	(In the year)	· ;	0	(0)	Human and animal fecal waste		
Enterococci	(In the year)		TT	n/a	Human and animal fecal waste		
Coliphage	(In the year)		TT	n/a	Human and animal fecal waste		

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

SPECIAL NOTICE OF FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLE							
SPECIAL NOTICE FOR UNCORRECTED SIGNIFICANT DEFICIENCIES							
VIOLATION OF GROUND WATER TT							
TT Violation	TT Violation Explanation		Actions Taken to Correct the Violation	Health Effects Language			

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES					
Treatment Technique ^(a) (Type of approved filtration technology used)					
Turbidity Performance Standards ^(b) (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 — Be less than or equal to NTU in 95% of measurements in a month. 2 — Not exceed NTU for more than eight consecutive hours. 3 — Not exceed NTU at any time.				
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.					
Highest single turbidity measurement during the year					
Number of violations of any surface water treatment requirements					

Summary Information for Violation of a Surface Water TT

VIOLATION OF A SURFACE WATER TT							
TT Violation Explanation Duration Actions Taken to Correct the Violation Health Effects Lang							
		· ·		Sent a section of the sent of			

⁽a) A required process intended to reduce the level of a contaminant in drinking water.

⁽b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

^{*} Any violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below.